

L5 ANSWER 5 OF 6 CA COPYRIGHT 2001 ACS
AN 112:125055 CA
TI The preparation of coprecipitates of ibuprofen with polyvinylpyrrolidone
and the characteristics of the in vitro dissolution of coprecipitates
AU Lu, Jinfong; Wang, Miaozen; Chen, Guiliang; Wang, Dengming
CS Dep. Pharm., Shanghai Med. Univ., Shanghai, Peop. Rep. China
SO Zhongguo Yaoxue Zazhi (1989), 24(6), 346-8
CODEN: ZYZAEU
DT Journal
LA

L5 ANSWER 3 OF 6 CA COPYRIGHT 2001 ACS
AN 126:297675 CA
TI Manufacture of multilayer solid oral or rectal dosage forms by
coextrusion
IN Breitenbach, Joerg; Haertl, Axel Paul; Hofmann, Juergen; Rosenberg,
Joerg;

Schiessl, Michael; Zettler, Hans Dieter

PA BASF A.-G., Germany

SO Ger. Offen., 8 pp.

CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 19539361	A1	19970424	DE 1995-19539361	19951023
	CA 2232356	AA	19970501	CA 1996-2232356	19961023
	WO 9715293	A2	19970501	WO 1996-EP4601	19961023
	WO 9715293	A3	19970814		
	W: AU, BG, BR, CA, CN, CZ, HU, IL, JP, KR, MX, NO, NZ, PL, RU, SG, SI, SK, TR, UA, US				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,				
SE	AU 9674912	A1	19970515	AU 1996-74912	19961023
	AU 706859	B2	19990624		
	EP 857062	A2	19980812	EP 1996-937214	19961023
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE,				
FI	CN 1200033	A	19981125	CN 1996-197791	19961023
	JP 11513697	T2	19991124	JP 1996-516274	19961023
	US 6120802	A	20000919	US 1998-51544	19980415
	NO 9801793	A	19980422	NO 1998-1793	19980422
PRAI	DE 1995-19539361		19951023		
	WO 1996-EP4601		19961023		



L5 ANSWER 5 OF 6 CA COPYRIGHT 2001 ACS
AN 112:125055 CA
TI The preparation of coprecipitates of ibuprofen with polyvinylpyrrolidone
and the characteristics of the in vitro dissolution of coprecipitates
AU Lu, Jinfong; Wang, Miaozen; Chen, Guiliang; Wang, Dengming
CS Dep. Pharm., Shanghai Med. Univ., Shanghai, Peop. Rep. China
SO Zhongguo Yaoxue Zazhi (1989), 24(6), 346-8
CODEN: ZYZAEU
DT Journal
LA

ANSWER 5 OF 6 CA COPYRIGHT 2001 ACS

AB Coppts. of ibuprofen with PVP (1:3 or 1:5) were prep'd. using CHCl₃ as the solvent and characterization with DSC, x-ray diffraction, and IR spectra. The dissoln. of ibuprofen was increased by increasing the ratio of PVP in the coppts.

L5 ANSWER 5 OF 6 CA COPYRIGHT 2001 ACS

AB Coppts. of ibuprofen with PVP (1:3 or 1:5) were prep'd. using CHCl₃ as the solvent and characterization with DSC, x-ray diffraction, and IR spectra. The dissoln. of ibuprofen was increased by increasing the ratio of PVP in the coppts.